Food and Drug Administration, HHS

clinical specimens or cultured isolates derived from clinical specimens. The identification aids in the diagnosis of histoplasmosis caused by this fungus belonging to the genus *Histoplasma* and provides epidemiological information on the diseases caused by this fungus. Histoplasmosis usually is a mild and often asymptomatic respiratory infection, but in a small number of infected individuals the lesions may spread to practically all tissues and organs.

(b) Classification. Class II (special controls). The device is exempt from the premarket notification procedures in subpart E of part 807 of this chapter subject to §866.9.

[47 FR 50823, Nov. 9, 1982, as amended at 63 FR 59227, Nov. 3, 1998]

§866.3330 Influenza virus serological reagents.

(a) Identification. Influenza virus serological reagents are devices that consist of antigens and antisera used in serological tests to identify antibodies to influenza in serum. The identification aids in the diagnosis of influenza (flu) and provides epidemiological information on influenza. Influenza is an acute respiratory tract disease, which is often epidemic.

(b) Classification. Class I (general controls). The device is exempt from the premarket notification procedures in subpart E of part 807 of this chapter subject to the limitations in §866.9.

 $[47\ FR\ 50823,\ Nov.\ 9,\ 1982,\ as\ amended\ at\ 54\ FR\ 25047,\ June\ 12,\ 1989;\ 66\ FR\ 38792,\ July\ 25,\ 2001]$

\$866.3340 Klebsiella spp. serological reagents.

(a) Identification. Klebsiella spp. serological reagents are devices that consist of antigens and antisera, including antisera conjugated with a fluorescent dye (immunofluorescent reagents), that are used in serological tests to identify Klebsiella spp. from cultured isolates derived from clinical specimens. The identification aids in the diagnosis of diseases caused by bacteria belonging to the genus Klebsiella and provides epidemiological information on these diseases. These organisms can cause serious urinary tract and pulmonary infections, particularly in hospitalized patients.

(b) Classification. Class I (general controls). The device is exempt from the premarket notification procedures in subpart E of part 807 of this chapter subject to the limitations in §866.9.

[47 FR 50823, Nov. 9, 1982, as amended at 54 FR 25047, June 12, 1989; 66 FR 38792, July 25, 2001]

§866.3350 *Leptospira* spp. serological reagents.

(a) Identification. Leptospira spp. serological reagents are devices that consist of antigens and antisera used in serological tests to identify antibodies to Leptospira spp. in serum or identify Leptospira spp. from cultured isolates derived from clinical specimens. Additionally, some of these antisera are conjugated with a fluorescent dve (immunofluorescent reagents) and used to identify Leptospira spp. directly from clinical specimens. The identification aids in the diagnosis of leptospirosis caused by bacteria belonging to the genus Leptospira and provides epidemiological information on this disease. Leptospira infections range from mild fever-producing illnesses to severe liver and kidney involvement producing hemorrhage and dysfunction of these organs.

(b) Classification. Class II (special controls). The device is exempt from the premarket notification procedures in subpart E of part 807 of this chapter subject to §866.9.

[47 FR 50823, Nov. 9, 1982, as amended at 63 FR 59227, Nov. 3, 1998]

§866.3355 *Listeria* spp. serological reagents.

(a) Identification. Listeria spp. serological reagents are devices that consist of antigens and antisera used in serological tests to identify Listeria spp. from cultured isolates derived from clinical specimens. Additionally, some of these reagents consist of *Listeria* spp. antisera conjugated with a fluorescent dye (immunofluorescent reagents) used to identify Listeria spp. directly from clinical specimens. The identification aids in the diagnosis of listeriosis, a disease caused by bacteria belonging to the genus Listeria, and provides epidemiological information on diseases caused by these microorganisms. Listeria monocytogenes, the most common

§ 866.3360

human pathogen of this genus, causes meningitis (inflammation of the brain membranes) and meningoencephalitis (inflammation of the brain and brain membranes) and is often fatal if untreated. A second form of human listeriosis is an intrauterine infection in pregnant women that results in a high mortality rate for infants before or after birth.

(b) Classification. Class I (general controls). The device is exempt from the premarket notification procedures in subpart E of part 807 of this chapter subject to §866.9.

[47 FR 50823, Nov. 9, 1982, as amended at 65 FR 2311, Jan. 14, 2000]

§866.3360 Lymphocytic choriomeningitis virus serological reagents.

(a) Identification. Lymphocytic choriomeningitis virus serological reagents are devices that consist of antigens and antisera used in serological identify antibodies tests to lymphocytic choriomeningitis virus in serum. The identification aids in the diagnosis of lymphocytic choriomeningitis virus infections and provides epidemiological information on diseases caused by these viruses. Lymphocytic choriomeningitis viruses usually cause a mild cerebral meningitis (inflammation of membranes that envelop the brain) and occasionally a mild pneumonia, but in rare instances may produce severe and even fatal illnesses due to complications from cerebral meningitis and pneumonia.

(b) Classification. Class I (general controls). The device is exempt from the premarket notification procedures in subpart E of part 807 of this chapter subject to §866.9.

[47 FR 50823, Nov. 9, 1982, as amended at 65 FR 2311, Jan. 14, 2000]

§ 866.3370 Mycobacterium tuberculosis immunofluorescent reagents.

(a) Identification. Mycobacterium tuberculosis immunofluorescent reagents are devices that consist of antisera conjugated with a fluorescent dye used to identify Mycobacterium tuberculosis directly from clinical specimens. The identification aids in the diagnosis of tuberculosis and provides epidemiological information on this disease. Mycobacterium tuberculosis is the com-

mon causative organism in human tuberculosis, a chronic infectious disease characterized by formation of tubercles (small rounded nodules) and tissue necrosis (destruction), usually occurring in the lung.

(b) Classification. Class I (general controls).

§866.3375 Mycoplasma spp. serological reagents.

(a) Identification. Mycoplasma spp. serological reagents are devices that consist of antigens and antisera used in serological tests to identify antibodies to Mycoplasma spp. in serum. Additionally, some of these reagents consist of Mycoplasma spp. antisera conjugated fluorescent with a (immunofluorescent reagents) used to identify Mycoplasma spp. directly from clinical specimens. The identification aids in the diagnosis of disease caused by bacteria belonging to the genus Mycoplasma and provides epidemiological information on diseases caused by these microorganisms. Mycoplasma spp. are associated with inflammatory conditions of the urinary and respiratory tracts, the genitals, and the mouth. The effects in humans of infection with Mycoplasma pneumoniae range from inapparent infection to mild or severe upper respiratory disease, ear infection, and bronchial pneumonia.

(b) Classification. Class I (general controls). The device is exempt from the premarket notification procedures in subpart E of part 807 of this chapter subject to §866.9.

 $[47\ {\rm FR}\ 50823,\ {\rm Nov.}\ 9,\ 1982,\ {\rm as}\ {\rm amended}\ {\rm at}\ 65\ {\rm FR}\ 2311,\ {\rm Jan.}\ 14,\ 2000]$

§866.3380 Mumps virus serological reagents.

(a) Identification. Mumps virus serological reagents consist of antigens and antisera used in serological tests to identify antibodies to mumps virus in serum. Additionally, some of these reagents consist of antisera conjugated with a. fluorescent dye (immunofluorescent reagents) used in serological tests to identify mumps viruses from tissue culture isolates derived from clinical specimens. The identification aids in the diagnosis of mumps and provides epidemiological information on mumps. Mumps is an